



'007' SWITCHBOX (OPTIONAL)

Item	Component	Material								
1	UPPER CYLINDER	SILICON ALUM.								
2	UPPER DIAPHRAGM PLATE	MILD STEEL								
3	LOWER DIAPHRAGM PLATE	MILD STEEL								
4	OPERATING DIAPHRAGM	RUBBER								
5	LOWER CYLINDER	SILICON ALUM.								
6	CYLINDER 'O' RING	NITRILE								
7	MASTER SPINDLE	STAINLESS STEEL								
8	SPINDLE ATTACHMENT	STAINLESS STEEL								
9	BONNET	CAST IRON								
10	COMPRESSOR	CAST IRON								
11	LINE DIAPHRAGM	RUBBER								
12	BODY	CAST IRON S.G. IRON								
13	HANDWHEEL	CAST IRON								
14	HANDWHEEL SPINDLE	MILD STEEL								
15	SPINDLE BUSH	MILD STEEL								
16	INDICATOR ROD	MILD STEEL								
17	COVER	SILICON ALUM.								
18	UPPER SPRING PLATE	MILD STEEL								
19	GUIDE ROD	MILD STEEL								
20	SEALING PLATE	MILD STEEL								
21	SEALING PLT. 'O' RING	RUBBER	Size (DN)	A	B	C	D	E	F	G
22	MOUNTING BRACKET	STAINLESS STEEL	50	334	190	230	658	702	408	170
23	'007' SWITCHBOX		65	354	216	290	678	724	430	230
24	LIFTING ROD	STAINLESS STEEL	80	385	254	310	708	762	461	280
25	INDICATOR COVER	POLAMIDE	100	409	305	350	735	792	486	280

The information on this sheet is Private and Confidential and is the property of Crane Process Flow Technologies Limited and must not be published directly or indirectly in any manner whatsoever without the written permission of the Company and must not be used in any way detrimental to their interests.
© Crane Process Flow Technologies

CRANE Process Flow Technologies
A Crane Co. Company

Saunders
The Science Inside

Title
GENERAL ARRANGEMENT OF 'KB' TYPE ES56 DOUBLE ACTING MODULAR ACTUATOR (D8200) COMPLETE WITH OPTIONS FITTED ON RUBBER LINED FLANGED BODY

Drawn NAW Date 21.10.14 UNCONTROLLED IN
Checked RND Date 21.10.14 HARD COPY FORMAT

First Angle Projection Method E DO NOT SCALE Drawing No. KB-ES56-RUBBER Issue. 1