


DN65 TO DN100
MAINLINE ONLY



MAINLINE SIZE	A	B	C	D	øE	øF	G	BODY WEIGHT
mm	mm	mm	mm	mm	mm	mm	mm	Kgs
DN65 DIN 11850 S1	50.0	50.0	40.0	52.0	90.9	66.0	38.0	9.3
DN80 DIN 11850 S1	50.0	50.0	47.5	60.0	105.9	81.0	38.0	11.6
DN100 DIN 11850 S1	50.0	50.0	57.0	69.0	118.9	100.0	38.0	14.5

ORIENTATION AS PER P&ID DIAGRAM FOR OPTIMUM DRAINABILITY.

The information on this sheet is Private and Confidential and is the property of Crane Process Flow Technologies Limited and must not be published directly or indirectly in any manner whatsoever without the written permission of the Company and must not be used in any way detrimental to their interests.
© Crane Process Flow Technologies

CRANE	Process Flow Technologies A Crane Co. Company	Saunders The Science Inside
Title SCHEDULE OF LEADING DIMENSIONS FOR DN65 WEIR 'T' BODY WITH : MAINLINE : HYGIENIC CLAMP ENDS WITH DIN 11850 S1 BORE BRANCH : DN65 HYGIENIC CLAMP END WITH DIN 11850 S1 BORE		
Drawn R1	Date 02.04.12	UNCONTROLLED IN HARD COPY FORMAT
Checked RND	Date 02.04.12	
First Angle Projection Method E	DO NOT SCALE	Drawing No. WEB-165
		Issue. 1