






DN25 TO DN50
MAINLINE ONLY



DN65 AND DN100
MAINLINE ONLY



DN80 MAINLINE ONLY

The information on this sheet is Private and Confidential and is the property of Crane Process Flow Technologies Limited and must not be published directly or indirectly in any manner whatsoever without the written permission of the Company and must not be used in any way detrimental to their interests.
© Crane Process Flow Technologies

CRANE Process Flow Technologies
A Crane Co. Company

Saunders
The Science Inside

Title
SCHEDULE OF LEADING DIMENSIONS FOR DN25
WEIR 'T' BODY WITH DN8 BACK SAMPLE
ALL ENDS BUTT WELD ISO 1127 S1 TUBING

Drawn RI Date 25.05.12

UNCONTROLLED IN
HARD COPY FORMAT

Checked RND Date 25.05.12


First Angle
Projection
Method E

DO
NOT
SCALE


Drawing No.
WEB-218

Issue.
1


MAINLINE SIZE	A	B	C	ϕD	ϕE	F	G	H	I	J	K	L	BODY WEIGHT
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	Kgs
DN25	50.8	18.9	39.5	33.7	29.7	18.9	79.0	18.0	17.4	8.8	74.3	55.8	2.4
DN32	50.8	23.2	39.5	42.4	38.4	18.9	79.0	18.0	17.4	8.8	83.0	64.5	2.5
DN40	50.8	26.2	39.5	48.3	44.3	19.9	79.0	18.5	24.7	9.8	88.3	70.3	2.7
DN50	50.8	31.6	43.5	60.3	55.1	18.9	79.0	18.0	30.1	8.8	100.0	81.5	2.9
DN65	50.8	39.5	49.0	76.1	70.9	18.9	90.1	18.0	38.0	8.8	115.5	97.0	2.9
DN80	50.8	45.9	53.0	88.9	83.7	18.9	100.5	36.5	44.4	8.5	128.3	N/A	4.0
DN100	101.6	58.6	61.0	114.3	109.1	18.9	125.0	18.0	57.1	8.8	154.0	135.5	5.1




ORIENTATION AS
PER P&ID DIAGRAM
FOR OPTIMUM
DRAINABILITY.




SS NON SEALED
& PURE PERFORMANCE
BONNET ASSEMBLY




PES BONNET ASSEMBLY
& PURE PERFORMANCE
BONNET ASSEMBLY




*S360 ACTUATORS
WITH I-VUE SENSOR



*S360 ACTUATORS
WITH M-VUE SENSOR



EC ACTUATOR (ALL MODES)
& PURE PERFORMANCE
BONNET ASSEMBLY



*S360 ACTUATORS

BLOCK CAN BE FITTED WITH ANY EXISTING
SUITABLE TOP WORK COMBINATIONS

The information on this sheet is Private and Confidential and is the property of Crane Process Flow Technologies Limited and must not be published directly or indirectly in any manner whatsoever without the written permission of the Company and must not be used in any way detrimental to their interests.
© Crane Process Flow Technologies

CRANE	Process Flow Technologies	Saunders The Science Inside
	A Crane Co. Company	

Title
SCHEDULE OF LEADING DIMENSIONS FOR DN25/1.00
WEIR 'T' BODY WITH DN8/0.25 BACK SAMPLE
ALL ENDS BUTT WELD ISO 1127 S1 TUBING
FITTED WITH TOPWORKS OPTIONS

Drawn R1	Date 09.05.17	UNCONTROLLED IN HARD COPY FORMAT
Checked RND	Date 09.05.17	

First Angle Projection Method E	DO NOT SCALE	Drawing No. WEB-218-ASSY	Issue. 1
---------------------------------------	--------------------	-----------------------------	-------------

* DIMENSIONS SHOW MAXIMUM ENVELOPE FOR ALL MODES

BRANCH / SAMPLE SIZE	A	A1	A2	A3	B	B1	C	C1	D	D1	D2	D3	E	E1	E2	F	F1	F2	
mm inch	mm inch	mm inch	mm inch	mm inch	mm inch	mm inch	mm inch	mm inch	mm inch	mm inch	mm inch	mm inch	mm inch	mm inch	mm inch	mm inch	mm inch	mm inch	
DN25xDN15	1,00x0,50	113,9 4,48	80,0 3,15	66,2 2,61	34,0 1,34	147,9 5,82	80,0 3,15	167,9 6,61	103,0 4,05	175,9 6,93	98,0 3,87	89,8 3,54	55,0 2,18	272,9 10,74	136,0 5,35	188,8 7,43	236,9 9,33	103,8 4,09	154,8 6,09