






DN40 TO DN50  
MAINLINE ONLY



DN65 TO DN100  
MAINLINE ONLY



ORIENTATION AS  
PER P&ID DIAGRAM  
FOR OPTIMUM  
DRAINABILITY.

MAINLINE SIZE	A	B	C	$\phi D$	$\phi E$	F	G	H	I	BODY WEIGHT
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	Kgs
DN40	50.8	27.2	48.0	48.3	44.3	96.0	24.7	100.0	70.0	4.8
DN50	50.8	32.6	44.5	60.3	55.1	96.0	30.1	112.0	82.0	5.3
DN65	50.8	40.5	52.0	76.1	70.9	94.1	38.0	128.0	98.0	4.4
DN80	50.8	46.9	57.0	88.9	83.7	105.0	44.4	141.0	111.0	5.0
DN100	101.6	59.6	65.0	114.3	109.1	126.0	57.1	166.0	136.0	6.9

The information on this sheet is Private and Confidential and is the property of Crane Process Flow Technologies Limited and must not be published directly or indirectly in any manner whatsoever without the written permission of the Company and must not be used in any way detrimental to their interests.  
© Crane Process Flow Technologies

**CRANE** Process Flow Technologies  
A Crane Co. Company

**Saunders**  
The Science Inside

Title  
SCHEDULE OF LEADING DIMENSIONS FOR DN40  
WEIR 'T' BODY WITH DN8 BACK SAMPLE  
ALL ENDS BUTT WELD ISO 1127 S1 TUBING


Drawn R1 Date 25.05.12

Checked JRD Date 25.05.12


First Angle Projection Method E

UNCONTROLLED IN  
HARD COPY FORMAT


Drawing No. WEB-219 Issue. 1




SS NON SEALED  
BONNET ASSEMBLY  
& PURE PERFORMANCE  
BONNET ASSEMBLY




PES BONNET  
& PURE PERFORMANCE  
BONNET ASSEMBLY




\*S360 ACTUATORS  
WITH I-VUE SENSOR



\*S360 ACTUATORS  
WITH M-VUE SENSOR



EC ACTUATOR (ALL MODES)  
& PURE PERFORMANCE  
BONNET ASSEMBLY



\*S360 ACTUATORS

BLOCK CAN BE FITTED WITH ANY EXISTING  
SUITABLE TOP WORK COMBINATIONS

The information on this sheet is Private and Confidential and is the property of Crane Process Flow Technologies Limited and must not be published directly or indirectly in any manner whatsoever without the written permission of the Company and must not be used in any way detrimental to their interests.  
© Crane Process Flow Technologies

<b>CRANE</b>	Process Flow Technologies A Crane Co. Company	<b>Saunders</b> The Science Inside
--------------	--	---------------------------------------

Title  
SCHEDULE OF LEADING DIMENSIONS FOR DN40/1.50  
WEIR 'T' BODY WITH DN8/0.25 BACK SAMPLE  
ALL ENDS BUTT WELD ISO 1127 S1 TUBING  
FITTED WITH TOPWORKS OPTIONS

Drawn R1	Date 09.05.17	UNCONTROLLED IN HARD COPY FORMAT
Checked RND	Date 09.05.17	

First Angle Projection Method E		DO NOT SCALE	Drawing No. WEB-219-ASSY	Issue. 1
---------------------------------------	--	--------------------	-----------------------------	-------------

\*DIMENSIONS SHOW MAXIMUM ENVELOPE FOR ALL MODES

BRANCH/SAMPLE SIZE		A		A1		A2		A3		B		B1		C		C1		D		D1		D2		D3		E		E1		E2		F		F1		F2	
mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch
DN40xDN15	1.5x0.5	162.2	6.39	120	4.72	65.2	2.57	34.0	1.34	203.2	8.00	140	5.51	229.2	9.02	155	6.10	228.2	8.98	123	4.84	88.8	3.50	55	2.18	315.2	12.41	136.0	5.35	187.8	7.39	279.2	10.99	103.8	4.09	153.8	6.06