


DN80 TO DN100 MAINLINE



ORIENTATION AS  
PER P&ID DIAGRAM  
FOR OPTIMUM  
DRAINABILITY.

The information on this sheet is Private and Confidential and is the property of Crane Process Flow Technologies Limited and must not be published directly or indirectly in any manner whatsoever without the written permission of the Company and must not be used in any way detrimental to their interests.  
© Crane Process Flow Technologies

**CRANE** Process Flow Technologies  
A Crane Co. Company

**Saunders**  
The Science Inside

Title  
SCHEDULE OF LEADING DIMENSIONS FOR DN80  
WEIR 'T' BODY WITH DN8 BACK SAMPLE  
ALL ENDS BUTT WELD DIN 11850 S1/S2 TUBING

Drawn JRD Date 15.11.12

UNCONTROLLED IN  
HARD COPY FORMAT

Checked RND Date 15.11.12

First Angle  
Projection  
Method E

Drawing No.  
WEB-258

Issue.  
1

MAINLINE SIZE	A	B	C	øD	øE	F	G	H	I	BODY WEIGHT
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	Kgs
DN80	50.8	48.5	69.5	85.0	81.0	132.0	43.0	174.0	106.5	17.4
DN100	101.6	58.0	77.0	104.0	100.0	132.0	52.5	193.0	125.5	18.3